



EU Type Examination Certificate

Date: 2026/05/13

n. **001262004/OE**

Validity: 2031/05/12

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	GIASCO s.r.l. via Zaupa 50, 36072 CHIAMPO (VI) – ITALIA
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2022+A1:2024 class I (= footwear made from leather and other materials)
Category of PPE:	II : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model	"3L166MG" Line 3CLOUD ISOLANTE
Description:	<p><u>model</u>: B (ankle boot); <u>fastening system</u>: by means of laces; <u>processing</u>: direct injection; <u>outsole</u>: light grey compact PU marked "3cloud italy via zaupa 50-chiampo vi antistatic oil resistant anti shock"; <u>midsole</u>: dark grey and yellow foam PU with four channels passing from left to right through the whole midsole; <u>outer toetip reinforcement</u>: TPU coating on the upper (AC 20758); <u>upper</u>: - black fabric backed with black microfiber (AC 20757); - black microfiber insert with black polymeric coating (AC 20816); <u>collar</u>: black fabric "Rejilla cexa" (AC 20752); <u>tongue/bellows</u>: black fabric "Rejilla cexa" (AC 20752), centrally lined and padded; <u>vamp lining</u>: black three-dimensional mesh (AC 20818); <u>rear/quarter lining</u>: black knitting (AC 20762); <u>tongue lining</u>: yellow three-dimensional mesh (AC 20826 G); <u>heel grip</u>: black microfiber (AC 20751); <u>insole</u>: multi-layered fabric stamped in blue, art. "ZERO PERFORATION SLIM K18.0/3 SLIM PL" (AC 20706), <u>which also serves as penetration resistant insert</u>; <u>removable insock</u>: black/orange foam material, matched with black fabric in contact with the user, marked "antibacterial perspiring absorbing anatomic insulating giasco safety shoes" (AC 20458); <u>toecap</u>: polymeric material, art. "PS 101M" (AC 10781/AC 10784).</p> <p><u>Optional interchangeable orthopedic insoles (DGUV 112-191): SoftAstatic®</u> by Mander-Malms Schuhtechnik GmbH: - SAV02 insole thin (max thickness in the toetip area: 2,9 mm) in black foam perforated in the forepart area with black layer in the heel, matched with dark grey non-woven fabric in contact with the user; - SAV02 insole thicker (max thickness in the toetip area: 3,2 mm) in black perforated foam with black/green/dark grey layer in the heel, matched with dark grey non-woven fabric in contact with the user.</p>
Technical Standard:	EN ISO 20344:2021+A1:2024 Personal protective equipment – Test methods for footwear EN ISO 20345:2022+A1:2024 Personal protective equipment – Safety footwear
Intended use:	general industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes.





EU Type Examination Certificate

Date: 2026/05/13

n. **001262004/OE**

Validity: 2031/05/12

Size range:	from 36 to 49
Technical File:	DC-21331
Test report:	RCT n°4519049/E
Functions and performance levels:	<p>basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2022+A1:2024): all mandatory ones, among which:</p> <p>Slip resistance = slip resistance on ceramic tile floor with NaLS.</p> <p>Additional requirements (Tab. 16 and 20 of EN ISO 20345:2022+A1:2024): E = energy absorption of seat region; WPA = water penetration and absorption; PL = perforation resistance; FO = resistance to fuel oil; CI = cold insulation of outsole complex; SC = Scuff Cap; SR = slip resistance on ceramic tile floor with glycerine.</p> <p>Annex A: Customized safety footwear – Type 1 (equipped with customized insoles).</p>
Marking:	<p>printed directly on the tongue of the footwear and displaying the following information:</p> <ul style="list-style-type: none"> - CE Marking; - Name of the Manufacturer (on the footwear) and complete address and Trademark (printed on the outsole); - item designation (alphanumeric code); - nr. and year of the reference Standard and safety symbols; - size indication (printed on the outsole); - date of production (printed on the outsole with clock indicator).



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

